

Please type a plus sign (+) inside this box → ☐

PTO/SB/05 (08-00)

Approved for use through 10/31/2002. OMB 0651-0032

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

UTILITY PATENT APPLICATION TRANSMITTAL

Attorney Docket No. 2207/9800

First Inventor or Application Identifier JOURDAN et al

Title INSTRUCTION SEGMENT RECORDING SCHEME

Express Mail Label No.

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

APPLICATION ELEMENTS

See MPEP chapter 600 concerning design patent application contents.

1. ☒ Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original and a duplicate for fee processing)
2. ☐ Applicant claims small entity status.
See 37 CFR 1.27.
3. ☒ Specification [Total Pages 10]
(preferred arrangement set forth below)
 - Descriptive title of the Invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
4. ☒ Drawing(s) (35 U.S.C.113) [Total Sheets 2]
5. Oath or Declaration [Total Pages 4]
 - a. ☒ Newly executed (original or copy)
 - b. ☐ Copy from a prior application (37 CFR 1.63 (d))
(for a continuation/divisional with Box 17 completed)
 - i. ☐ **DELETION OF INVENTOR(S)**
Signed statement attached deleting inventor(s)
named in the prior application, see 37 CFR
1.63(d)(2) and 1.33(b).
6. ☐ Application Data Sheet. See 37 CFR 1.76

ADDRESS TO

Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

7. ☐ CD-ROM or CD-R in duplicate, large table or
Computer Program (Appendix)
8. Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
 - a. ☐ Computer Readable Form (CRF)
 - b. Specification Sequence Listing on:
 - i. ☐ CD-ROM or CD-R (2 copies); or
 - ii. ☐ paper
 - c. ☐ Statements verifying identity of above copies

ACCOMPANYING APPLICATIONS PARTS

9. ☒ Assignment Papers (cover sheet & document(s))
10. ☐ 37 C.F.R. § 3.73(b) Statement ☐ Power of
(when there is an assignee) Attorney
11. ☐ English Translation Document (if applicable)
12. ☐ Information Disclosure ☐ Copies of IDS
Statement (IDS)/PTO-1449 Citations
13. ☐ Preliminary Amendment
14. ☐ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
15. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
16. ☐ Other:

17. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment, or in an Application Data Sheet under 37 CFR 1.76:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP)

Prior application information: Examiner

of prior application No: /
Group / Art Unit:

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 5b, is considered a part of the disclosure of the accompanying or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS

☒ Customer Number or Bar Code Label

(Insert Customer Number or bar code label here)

or ☐ Correspondence address below

Name

23838

PATENT TRADEMARK OFFICE

Address

City

State

Zip Code

Country

Telephone

Fax

Name (Print/Type)

Robert L. Hails, Jr.

Registration No. (Attorney/Agent)

39,702

Signature

Robert L. Hails, Jr.

Date

4/9/2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

FEE TRANSMITTAL for FY 2001

Patent fees are subject to annual revision.

Complete if Known

Application Number	Not assigned
Filing Date	November 9, 2000
First Named Inventor	JOURDAN et al
Examiner Name	Not assigned
Group / Art Unit	Not assigned
Attorney Docket No.	207/9800

TOTAL AMOUNT OF PAYMENT (\$)
~~4360~~ 830.00

METHOD OF PAYMENT (check one)

1. ☒ The Commissioner is hereby authorized to charge indicated fees and credit any over payments to

Deposit
Account
Number

11-0600

Deposit
Account
Name

KENYON & KENYON

☒ Charge Any Additional Fee Required
Under 37 CFR 1.16 and 1.17
Applicant claims small entity status
See 37 CFR 1.27

2. ☐ Payment Enclosed.

☐ Check ☐ Credit card ☐ Money Order ☐ Other

FEE CALCULATION

1. BASIC FILING FEE

Large Fee Code	Entity Fee (\$)	Small Fee Code	Entity Fee (\$)	Fee Description	Fee Paid
101	710	201	355	Utility filing fee	710
106	320	206	160	Design filing fee	
107	490	207	245	Plant filing fee	
108	710	208	355	Reissue filing fee	
114	150	214	75	Provisional filing fee	

SUBTOTAL (1)

(\$)
710

2. EXTRA CLAIM FEES

Total Claims	Independent Claims	Multiple Dependent	Extra Claims	Fee from below	Fee Paid
19	4		0	80	0
			1		80
					0

Large Fee Code	Entity Fee (\$)	Small Fee Code	Entity Fee (\$)	Fee Description
103	18	203	9	Claims in excess of 20
102	80	202	40	Independent claims in excess of 3
104	270	204	135	Multiple dependent claim, if not paid
109	80	209	40	** Reissue independent claims over original patent
110	18	210	9	** Reissue claims in excess of 20 and over original patent

SUBTOTAL (2)

(\$)
80

**or number previously paid, if greater; For Reissues, see above

FEE CALCULATION (continued)

Large Fee Code	Entity Fee (\$)	Small Fee Code	Entity Fee (\$)	Fee Description	Fee Paid
105	130	205	65	Surcharge - late filing fee or oath	
127	50	227	25	Surcharge - late provisional filing fee or cover sheet.	
139	130	139	130	Non-English specification	
147	2,520	147	2,520	For filing a request for reexamination	
112	920*	112	920*	Requesting publication of SIR prior to Examiner action	
113	1,840*	113	1,840*	Requesting publication of SIR after Examiner action	
115	110	215	55	Extension for reply within first month	
116	390	216	195	Extension for reply within second month	
117	890	217	445	Extension for reply within third month	
118	1,390	218	695	Extension for reply within fourth month	
128	1,890	228	945	Extension for reply within fifth month	
119	310	219	155	Notice of Appeal	
120	310	220	155	Filing a brief in support of an appeal	
121	270	221	135	Request for oral hearing	
138	1,510	138	1,510	Petition to institute a public use proceeding	
140	110	240	55	Petition to revive - unavoidable	
141	1,240	241	620	Petition to revive - unintentional	
142	1,240	242	620	Utility issue fee (or reissue)	
143	440	243	220	Design issue fee	
144	600	244	300	Plant issue fee	
122	130	122	130	Petitions to the Commissioner	
123	50	123	50	Petitions related to provisional applications	
126	240	126	240	Submission of Information Disclosure Stmt	
581	40	581	40	Recording each patent assignment per property (times number of properties)	40 00
146	710	246	355	Filing a submission after final rejection (37 CFR § 1.129(a))	
149	710	249	355	For each additional invention to be examined (37 CFR § 1.129(b))	
179	710	279	355	Request for Continued Examination (RCE)	
169	900	169	900	Request for expedited examination of a design application	

Other fee (specify)

*Reduced by Basic Filing Fee Paid

SUBTOTAL (3)

(\$)
40

SUBMITTED BY

Complete (if applicable)

Name (Print/Type)	Robert L. Harris, Jr.	Registration No. Attorney/Agent	39,702	Telephone	(202) 220-4200
Signature		Date	11/9/2000		

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement. This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

INSTRUCTION SEGMENT RECORDING SCHEME

BACKGROUND

The present invention relates to a recording scheme for instruction segments in a processor core in which instructions from instruction segments may be cached in reverse
5 program order.

FIG. 1 is a block diagram illustrating the process of program execution in a conventional processor. Program execution may include three stages: front end 110, execution 120 and memory 130. The front-end stage 110 performs instruction pre-processing. Front end processing is designed with the goal of supplying valid decoded instructions to an execution
10 core with low latency and high bandwidth. Front-end processing can include branch prediction, decoding and renaming. As the name implies, the execution stage 120 performs instruction execution. The execution stage 120 typically communicates with a memory 130 to operate upon data stored therein.

Conventionally, front end processing 110 may build instruction segments from stored
15 program instructions to reduce the latency of instruction decoding and to increase front-end bandwidth. Instruction segments are sequences of dynamically executed instructions that are assembled into logical units. The program instructions may have been assembled into the instruction segment from non-contiguous regions of an external memory space but, when they are assembled in the instruction segment, the instructions appear in program order. The
20 instruction segment may include instructions or uops (micro-instructions).

A trace is perhaps the most common type of instruction segment. Typically, a trace may begin with an instruction of any type. Traces have a single entry, multiple exit architecture. Instruction flow starts at the first instruction but may exit the trace at multiple points, depending on predictions made at branch instructions embedded within the trace. The trace may end
25 when one of number of predetermined end conditions occurs, such as a trace size limit, the occurrence of a maximum number of conditional branches or the occurrence of an indirect branch or a return instruction. Traces typically are indexed by the address of the first instruction therein.

Other instruction segments are known. The inventors have proposed an instruction
30 segment, which they call an "extended block," that has a different architecture than the trace.

The extended block has a multiple-entry, single-exit architecture. Instruction flow may start at any point within an extended block but, when it enters the extended block, instruction flow must progress to a terminal instruction in the extended block. The extended block may terminate on a conditional branch, a return instruction or a size limit. The extended block may be indexed by the address of the last instruction therein.

A "basic block" is another example of an instruction segment. It is perhaps the most simple type of instruction segment available. The basic block may terminate on the occurrence of any kind of branch instruction, including an unconditional branch. The basic block may be characterized by a single-entry, single-exit architecture. Typically, the basic block is indexed by the address of the first instruction therein.

Regardless of the type of instruction segment used in a processor 110, the instruction segment typically is cached for later use. Reduced latency is achieved when program flow returns to the instruction segment because the instruction segment may store instructions already assembled in program order. The instructions in the cached instruction segment may be furnished to the execution stage 120 faster than they could be furnished from different locations in an ordinary instruction cache.

While the use of instruction segments has reduced execution latency, they tend to exhibit a high degree of redundancy. A segment cache may store copies of a single instruction in multiple instruction segments, thereby wasting space in the cache. The inventors propose to reduce this redundancy by merging one or more segments into a larger, aggregate segment or by extending one instruction segment to include instructions from another instruction segment with overlapping instructions. However, extension of segments is a non-trivial task, for several reasons.

First, instructions typically are cached in program order. To extend instruction segments at the beginning of the segment would require previously stored instructions to be shifted downward through a cache to make room for the new instruction. The instructions may be shifted by varying amounts, depending upon the number of new instructions to be added. This serial shift may consume a great deal of time which may impair the effectiveness of the front-end stage 110.

Additionally, the extension may destroy previously established relationships among the instruction segments. Instruction segments not only are cached, but they also are indexed by

the front-end stage 110 to identify relationships among themselves. For example, program flow previously may have exited a first segment and arrived at a second segment. A mapping from the first instruction segment to the second instruction segment may be stored by the front-end stage 110 in addition to the instruction segments themselves. Oftentimes, the mappings simply are pointers from one instruction segment to the first instruction in a second instruction segment.

Extension of instruction segments, however, may cause new instructions to be added to the beginning of the segment. In such a case, an old pointer to the segment must be updated to circumvent the newly added instructions. If not, if the old mapping were used, the front-end stage 110 would furnish an incorrect set of instructions to the execution stage 120. The processor 100 would execute the wrong instructions.

Accordingly, there is a need in the art for a front-end processing system that permits instruction segments to be extended dynamically without disruption to previously stored mappings among the instruction segments.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram illustrating the process of program execution in a conventional processor.

FIG. 2 is a block diagram of a front end processing system according to an embodiment of the present invention.

FIG. 3 is a block diagram of a segment cache according to an embodiment of the present invention.

FIG. 4 illustrates a relationship between exemplary segment instructions a cache bank according to the embodiments of the present invention.

DETAILED DESCRIPTION

Embodiments of the present invention provide a recording scheme for instruction segments that store the instruction in reverse program order. By storing the instruction in reverse program order, it becomes easier to extend the instruction segment to include additional

instructions. The instruction segments may be extended without having to re-index tag arrays, pointers that associate instruction segments with other instruction segments.

FIG. 2 is a block diagram of a front end processing system 200 according to an embodiment of the present invention. The front end 200 may include an instruction cache 210 and an instruction segment engine ("ISS") 220. The instruction cache 210 may be based on any number of known architectures for front-end systems 200. Typically, they include an instruction memory (or cache) 230, a branch prediction unit ("BPU") 240 and an instruction decoder 250. Program instructions may be stored in the cache memory 230 and indexed by an instruction pointer. Instructions may be retrieved from the cache memory 230, decoded by the instruction decoder 250 and passed to the execution unit (not shown). The BPU 240 may assist in the selection of instructions to be retrieved from the cache memory 230 for execution. As is known, instructions may be indexed by an address, called an "instruction pointer" or "IP."

According to an embodiment, an ISS 220 may include a fill unit 260, a segment branch prediction unit (or "segment BPU") 270 and a segment cache 280. The fill unit 260 may build the instruction segments. The segment cache 280 may store the instruction segments. The segment BPU 270 may predict which instruction segments, if any, are likely to be executed and may cause the segment cache 280 to furnish any predicted segment to the execution unit. The segment BPU 270 may store masks associated with each of the instruction segments stored by the segment cache 280, indexed by the IP of the terminal instruction of the instruction segments.

The ISS 220 may receive decoded instructions from the instruction cache 210. The ISS 220 also may pass decoded instructions to the execution unit (not shown). A selector 290 may select which front-end source, either the instruction cache 210 or the ISS 220, will supply instructions to the execution unit. In an embodiment, the segment cache 280 may control the selector 290.

According to an embodiment, a hit/miss indication from the segment cache 280 may control the selector 290.

FIG. 3 is a block diagram of a segment cache 300 according to an embodiment of the present invention. The segment cache 310 may be populated by a plurality of cache lines 310.1, 310.2, ... 310.N, each of which may store an instruction segment. The segment cache 310 may be constructed from any number of cache structures, including for example a set-

associative cache or a banked cache among others. According to an embodiment, the segment cache 300 may output a cache line in response to addressing data (not shown) input to the segment cache 300.

FIG. 4 illustrates a relationship between exemplary segment instructions and the manner in which they may be stored in a cache line according to the embodiments of the present invention. In the example of FIG. 4, two different instruction streams are stored in different locations of the instruction cache (FIG. 2, 210). Assume that the first instruction stream extends from a location IP_1 to IP_2 and the second instruction stream extends from location IP_3 to IP_4 . Assume further that a conditional branch in the first instruction stream at location IP_5 may cause program flow to jump to location IP_6 in the second instruction stream. For purposes of this example, it also may be assumed that return instructions are located at instruction IP_2 and IP_4 . It further may be assumed that the ISS (FIG. 2, 220) does not store any previously created instruction segments.

During execution, a first segment may begin when program flow advances to location IP_1 (as by, for example, a conditional branch). Instructions may be retrieved from the instruction cache 210 until the program flow advances to the conditional branch instruction at location IP_5 . Assume that the conditional branch is taken, causing program flow to advance to location IP_6 . In an extended block system, for example, the conditional branch would cause the instruction segment to terminate and a new segment to be created starting at location IP_6 . The first instruction segment may be stored in a line of the segment cache (say, 310.2 of FIG. 3).

Program flow may advance from location IP_6 to the return instruction at location IP_4 . The return instruction would terminate a second instruction segment 420, causing the ISS (FIG. 2, 220) to store the second instruction segment 420 in another cache line 440. The instructions may be recorded terminal instruction first, then in reverse program order. Thus, the terminal instruction from location IP_4 may be stored in a first position 440.1 of the cache line 440. The instructions may be stored in reverse program order in advancing locations of the cache line 440 until the instructions are exhausted. In the example of FIG. 4, the instruction at location IP_6 is shown stored in position 440.9 in the cache line 440. The second instruction segment 420 need not occupy the full width of the cache line 440. The first instruction segment 410, when stored in the segment cache 300, also may be stored in reverse program order.

Assume that program flow advances to the instruction at location IP_3 at some later time. Instructions may be retrieved from the instruction cache (FIG. 2, 210) until the program flow advances to the return instruction at location IP_4 . The ISS (FIG. 2, 220) may construct a third instruction segment 430 extending from location IP_3 to IP_4 . Rather than store the third instruction segment 430 in a separate cache line, the ISS 220 instead may extend the second instruction segment 420 to include the additional instructions from the third instruction segment 430. This occurs simply by writing the excess instructions, those from location IP_3 to location IP_6 , at the end of the cache line 440 in reverse instruction order. In an embodiment, if the second instruction segment is subsumed entirely within the third instruction segment, the fastest way of extending the instruction segment is simply to write the third segment 420 into the cache line 440. In this embodiment, the instructions of the second segment are overwritten with identical data.

Returning to FIG. 2, as described above, a segment BPU 270 may store addressing data for each instruction segment stored in the segment cache 280. Based on instruction flow, the segment BPU 270 may predict a next instruction segment to be retrieved from the segment cache 280. The segment BPU 270 may output address data to the segment cache 280 to cause the cache to output an instruction segment. In this regard, the segment BPU 270 operates in a manner that may be considered somewhat analogous to the BPU 240.

The recording scheme of the present invention permits instruction segments to be merged without requiring corresponding manipulation of the mappings stored in the segment BPU 270. Continuing with the example provided in FIG. 4, when the second instruction segment 420 is stored in the cache bank 310, the mapping in the segment BPU 270 may reflect the IP of the terminal instruction (IP_4) and run length data identifying the number of instructions contained in the second segment 420. When the second and third instruction segments 420, 430 merge, the mapping for the second instruction segment 420 remains valid. Additional information may be stored regarding the third instruction segment 430 to identify the IP of the terminal instruction (again, IP_4) and the length of the instruction segment. Thus, the reverse-order-recording scheme provided by the foregoing embodiments facilitates segment extension without requiring a re-indexing of previously stored segments.

Several embodiments of the present invention are specifically illustrated and described herein. However, it will be appreciated that modifications and variations of the present invention

are covered by the above teachings and within the purview of the appended claims without departing from the spirit and intended scope of the invention.

WE CLAIM:

1. An instruction segment comprising a plurality of instructions stored in sequential positions of a cache line in reverse program order.

2. The instruction segment of claim 1, wherein the instruction segment is an extended
5 block.

3. The instruction segment of claim 1, wherein the instruction segment is a trace.

4. The instruction segment of claim 1, wherein the instruction segment is a basic block.

5. A segment cache for a front-end system in a processor, comprising a plurality of cache entries to store instruction segments in reverse program order.

10 6. The segment cache of claim 5, further comprising:
an instruction storage system,
an instruction segment system, comprising:
a fill unit provided in communication with the instruction cache system,
wherein the segment cache is included within the instruction segment system,
15 and
a selector coupled to the output of the instruction cache system and to an output of the segment cache.

7. The front-end system of claim 6, wherein the instruction segment system further comprises a segment predictor provided in communication with the segment cache.

20 8. A method for storing instruction segments in a processor, comprising:
building an instruction segment based on program flow, and
storing the instruction segment in a cache in reverse program order.

9. The method of claim 8, further comprising:
building a second instruction segment based on program flow, and
25 if the first and second instruction segments overlap, extending the first instruction segment to include non-overlapping instructions from the second instruction segment.

10. The method of claim 9, wherein the extending comprises storing the non-overlapping instructions in the cache in reverse program order in successive cache positions adjacent to the instructions from the first instruction segment.

11. The method of claim 8, wherein the instruction segment is an extended block.

5 12. The method of claim 8, wherein the instruction segment is a trace.

13. The method of claim 8, wherein the instruction segment is a basic block.

14. A processing engine, comprising:
a front end stage to build and store instruction segments in reverse program order, and
an execution unit in communication with the front end stage.

10 15. The processing engine of claim 14, wherein the front-end stage comprises:
an instruction storage system,
an instruction segment system, comprising:
a fill unit provided in communication with the instruction cache system,
a segment cache, and
15 a selector coupled to the output of the instruction cache system and to an output of the segment cache.

16. The method of claim 15, wherein the instruction segment is an extended block.

17. The method of claim 15, wherein the instruction segment is a trace.

18. The method of claim 15, wherein the instruction segment is a basic block.



20 19. The processing engine of claim 15, wherein the extended segment cache system further comprises a segment predictor provided in communication with the segment cache.

ABSTRACT

In a front-end system for a processor, a recording scheme for instruction segments stores the instructions in reverse program order. Instruction segments may be traces, extended blocks or basic blocks. By storing the instructions in reverse program order, the instruction segment is easily extended to include additional instructions. The instruction segments may be extended without having to re-index tag arrays, pointers that associate instruction segments with other instruction segments.

5

339810_1 DOC








FIG. 3



DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

INSTRUCTION SEGMENT RECORDING SCHEME

the specification of which is attached hereto unless the following is entered:

was filed on	as United States Application Number or PCT International Application Number	and was amended on (if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR §1.56.

PRIOR FOREIGN APPLICATION(S)

I hereby claim foreign priority benefits under 35 USC §119(a-d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below any foreign application(s) for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed:

Application Number	Country	Filing Date (day/month/year)	Priority Not Claimed
None			

PROVISIONAL APPLICATION(S)

I hereby claim the benefit under 35 USC §119(e) of any United States provisional application(s) listed below:

Application Number	Filing Date

PRIOR UNITED STATES APPLICATION(S)

I hereby claim the benefit under 35 USC §120 of any United States application(s), or §365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 USC §112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR §1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

Application Number	Filing Date	Status (patented, pending, abandoned)

POWER OF ATTORNEY


I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Paul H. Heller (Reg. No. 21,074); John C. Altmiller (Reg. No. 25,951); Shawn W. O'Dowd (Reg. No. 34,687); Robert L. Hails, Jr. (Reg. No. 39,702) of KENYON & KENYON with offices located at 1500 K Street NW, Suite 700, Washington, DC, 20005-1257, telephone (202) 220-4200, and at 333 W. San Carlos Street, Suite 600, San Jose, CA, 95110-2711, telephone (408) 975-7500; and Alan K. Aldous (#31,905); R. Edward Brake (#37,784); Ben Burge (#42,372); Jeffrey S. Draeger (#41,000); Cynthia Thomas Faatz (#39,973); John N. Greaves (#40,362); Seth Z. Kalson (#40,670); David J. Kaplan (#41,105); Peter Lam (#44,855); Charles A. Mirho (#41,199); Leo V. Novakoski (#37,198); Thomas C. Reynolds (#32,488); Kenneth M. Seddon (#43,105); Mark Seeley (#32,299); Steven P. Skabrat (#36,279); Howard A. Skaist (#36,008); Gene I. Su (#45,140); Calvin E. Wells (#43,256); Raymond J. Werner (#34,752); Robert G. Winkle (#37,474); and Charles K. Young (#39,435) of INTEL CORPORATION.

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION (Cont.)

Direct telephone calls to: Robert L. Hails, Jr. (202) 220-4200	Send correspondence to: KENYON & KENYON 1500 K Street, NW, Suite 700 Washington, DC 20005-1257
---	--

I hereby declare that all statements made herein of my own knowledge are true and all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under §1001 of Title 18 of the United States Code and that such willful statements may jeopardize the validity of the application or any patent issuing thereon.

FULL NAME OF FIRST INVENTOR	FAMILY NAME JOURDAN	FIRST GIVEN NAME Stephan	SECOND GIVEN NAME J.
RESIDENCE & CITIZENSHIP	CITY Portland	STATE OR FOREIGN COUNTRY Oregon	COUNTRY OF CITIZENSHIP FRANCE
POST OFFICE ADDRESS	POST OFFICE ADDRESS 14664 NW Rich Court	CITY Portland	STATE & ZIP CODE/COUNTRY Oregon, 97229
Signature 		Date 10/24/00	
FULL NAME OF SECOND INVENTOR	FAMILY NAME RONEN	FIRST GIVEN NAME Ronny	SECOND GIVEN NAME
RESIDENCE & CITIZENSHIP	CITY Haifa	STATE OR FOREIGN COUNTRY Israel	COUNTRY OF CITIZENSHIP ISRAEL
POST OFFICE ADDRESS	POST OFFICE ADDRESS 11/11 Harduf Street	CITY Haifa	STATE & ZIP CODE/COUNTRY Israel 34747
Signature		Date	

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

INSTRUCTION SEGMENT RECORDING SCHEME

the specification of which is attached hereto unless the following is entered:

was filed on	as United States Application Number or PCT International Application Number	and was amended on (if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR §1.56.

PRIOR FOREIGN APPLICATION(S)

I hereby claim foreign priority benefits under 35 USC §119(a-d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below any foreign application(s) for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed:

Application Number	Country	Filing Date (day/month/year)	Priority Not Claimed
None			

PROVISIONAL APPLICATION(S)

I hereby claim the benefit under 35 USC §119(e) of any United States provisional application(s) listed below:

Application Number	Filing Date

PRIOR UNITED STATES APPLICATION(S)

I hereby claim the benefit under 35 USC §120 of any United States application(s), or §365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 USC §112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR §1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

Application Number	Filing Date	Status (patented, pending, abandoned)

POWER OF ATTORNEY


I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Paul H. Heller (Reg. No. 21,074); John C. Altmiller (Reg. No. 25,951); Shawn W. O'Dowd (Reg. No. 34,687); Robert L. Hails, Jr. (Reg. No. 39,702) of KENYON & KENYON with offices located at 1500 K Street NW, Suite 700, Washington, DC, 20005-1257, telephone (202) 220-4200, and at 333 W. San Carlos Street, Suite 600, San Jose, CA, 95110-2711, telephone (408) 975-7500; and Alan K. Aldous (#31,905); R. Edward Brake (#37,784); Ben Burge (#42,372); Jeffrey S. Draeger (#41,000); Cynthia Thomas Faatz (#39,973); John N. Greaves (#40,362); Seth Z. Kalson (#40,670); David J. Kaplan (#41,105); Peter Lam (#44,855); Charles A. Mirho (#41,199); Leo V. Novakoski (#37,198); Thomas C. Reynolds (#32,488); Kenneth M. Seddon (#43,105); Mark Seeley (#32,299); Steven P. Skabrat (#36,279); Howard A. Skaist (#36,008); Gene I. Su (#45,140); Calvin E. Wells (#43,256); Raymond J. Werner (#34,752); Robert G. Winkle (#37,474); and Charles K. Young (#39,435) of INTEL CORPORATION.

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION (Cont.)

Direct telephone calls to: Robert L. Hails, Jr. (202) 220-4200	Send correspondence to: KENYON & KENYON 1500 K Street, NW, Suite 700 Washington, DC 20005-1257
---	--

I hereby declare that all statements made herein of my own knowledge are true and all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under §1001 of Title 18 of the United States Code and that such willful statements may jeopardize the validity of the application or any patent issuing thereon.

FULL NAME OF FIRST INVENTOR	FAMILY NAME JOURDAN	FIRST GIVEN NAME Stephan	SECOND GIVEN NAME J.
RESIDENCE & CITIZENSHIP	CITY Portland	STATE OR FOREIGN COUNTRY Oregon	COUNTRY OF CITIZENSHIP FRANCE
POST OFFICE ADDRESS	POST OFFICE ADDRESS 14664 NW Rich Court	CITY Portland	STATE & ZIP CODE/COUNTRY Oregon, 97229
Signature		Date	
FULL NAME OF SECOND INVENTOR	FAMILY NAME RONEN	FIRST GIVEN NAME Ronny	SECOND GIVEN NAME
RESIDENCE & CITIZENSHIP	CITY Haifa	STATE OR FOREIGN COUNTRY Israel	COUNTRY OF CITIZENSHIP ISRAEL
POST OFFICE ADDRESS	POST OFFICE ADDRESS 11/11 Harduf Street	CITY Haifa	STATE & ZIP CODE/COUNTRY Israel 34747
Signature 		Date 23 Oct - 2006	